

AN ORDER OF THE CLEAN ENVIRONMENT COMMISSION

UNDER THE CLEAN ENVIRONMENT ACT

RE: The Clean Environment Commission and Mr. Ernie Drozda, applicant

WHEREAS pursuant to the provisions of The Clean Environment Act, Mr. Ernie Drozda, trading under the name of Drozda Construction, submitted an application to The Clean Environment Commission to prescribe limits in connection with an operation involving the storage and mixing of concrete ingredients and the storage and repair of vehicles and construction equipment, the said operation being located on Lot 3 of Block 30 as recorded on plan 876 in the Village of Shoal Lake, Manitoba,

AND WHEREAS a representation was made to The Clean Environment Commission by a person who is, or is likely to be affected by an Order of the said Commission prescribing limits in connection with the said operation,

AND WHEREAS The Clean Environment Commission held a public hearing on the 2nd day of July, 1974, in the Council Chambers of the Village of Shoal Lake, Manitoba

AND WHEREAS The Clean Environment Commission considered the application on the 10th day of September, 1974,

IT IS HEREBY ORDERED THAT

1. The applicant shall ensure that solid particulate emissions from any process in the said operation do not exceed 0.57 grams per standard cubic meter calculated at 20°C and 760mm of mercury (0.25 grains per standard cubic foot calculated at 68°F and 30 inches of mercury) at the point of emission,

*Assigned to
A. W. Elias
Sept 25/74*

C-6-779

- 2. The applicant shall ensure that at any point of impingement off the premises of the said operation, the dustfall over a period of thirty days arising from the said operation does not exceed 0.8 milligrams per square centimeter over and above the normal background level at the said point of impingement,
- 3. The applicant shall ensure that at any point of impingement off the premises of the said operation, noise arising from the said operation does not exceed:
 - (a) during the daytime hours of 8:00 a.m. to 7:00 p.m.

<u>Maximum Percentage of Time (per one hour period)</u>	<u>Sound Level limit (in decibels)</u>
2% (i.e. 1.2 minutes per hour)	68 dBA
10% (6 minutes per hour)	65 dBA
50% (30minutes per hour)	63 dBA
90% (54 minutes per hour)	60 dBA

- (b) during the evening hours of 7:00 p.m. to 11:00 p.m.

<u>Maximum percentage of Time (per one hour period)</u>	<u>Sound Level limit (in decibles)</u>
2% (i.e. 1.2 minutes per hour)	63 dBA
10% (6 minutes per hour)	60 dBA
50% (30 minutes per hour)	58 dBA
90% (54 minutes per hour)	55 dBA


- (c) during the night-time hours of 11:00 p.m. to 8:00 a.m.

<u>Maximum Percentage of Time (per one hour period)</u>	<u>Sound Level limit (in decibles)</u>
100% (i.e. 60 minutes per hour)	0 dBA

IT IS HEREBY FURTHERED ORDERED THAT

4. The applicant take adequate measures to control the wind entrainment of dust by such means as are necessary for this purpose including:
 - (a) the wetting-down of aggregate stockpiles,
 - (b) the treating of road surfaces with oil or other dust control materials, and
 - (c) the containment, shrouding or shielding of dust-causing operations.

Order No. 386


Chairman
Clean Environment Commission

Dated at the City of Winnipeg

this 20th day of September, 1974.

C-b-779